

## Philips screwdriver - SF-PHSL 1-80 VDE - 1212283

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Screwdriver, positive/negative PH slot, VDE-isolated, size: PH 1 x 80, two component handle, with non-slip grip

### Your advantages

- VDE approval
- Screwdrivers for Phillips screws with Pozidriv and Phillips Recess screw head

### Key Commercial Data

Packing unit	10 pc
GTIN	
GTIN	4046356455183
Weight per Piece (excluding packing)	61.370 g
Weight per piece (including packing)	61.370 g
Custom tariff number	82054000
Country of origin	Czech Republic

### Technical data

#### Dimensions

Length (b)	178 mm
Width (a)	26 mm
Blade width	4.5 mm
Blade height	80 mm
Wrench size	0 mm

#### General

Type	Phillips
	straight
Material	alloyed tool steel
Test standard	IEC 60900:2004

#### Standards and Regulations

Test standard	IEC 60900:2004
---------------	----------------

#### Environmental Product Compliance

# Philips screwdriver - SF-PHSL 1-80 VDE - 1212283

## Technical data

### Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

## Drawings

Pictogram



## Classifications

eCl@ss

eCl@ss 10.0.1	21040406
eCl@ss 4.0	21040300
eCl@ss 4.1	21040300

# Philips screwdriver - SF-PHSL 1-80 VDE - 1212283

## Classifications

### eCl@ss

eCl@ss 5.0	21040300
eCl@ss 5.1	21040300
eCl@ss 6.0	21040400
eCl@ss 7.0	21040406
eCl@ss 8.0	21040406
eCl@ss 9.0	21040406

### ETIM

ETIM 4.0	EC000144
ETIM 5.0	EC000144
ETIM 6.0	EC000144
ETIM 7.0	EC000144

### UNSPSC

UNSPSC 6.01	27112118
UNSPSC 7.0901	27111518
UNSPSC 11	23171604
UNSPSC 12.01	27111518
UNSPSC 13.2	27111701
UNSPSC 18.0	27111701
UNSPSC 19.0	27111701
UNSPSC 20.0	27111701
UNSPSC 21.0	27111701

## Approvals

### Approvals

Approvals

VDE Zeichengenehmigung / EAC

Ex Approvals

### Approval details

VDE Zeichengenehmigung		<a href="http://www2.vde.com/de/Institut/Online-Service/VDE-gepruefteProdukte/Seiten/Online-Suche.aspx">http://www2.vde.com/de/Institut/Online-Service/VDE-gepruefteProdukte/Seiten/Online-Suche.aspx</a>	086858
------------------------	--	---	--------

## Philips screwdriver - SF-PHSL 1-80 VDE - 1212283

### Approvals

EAC



RU C-  
DE.AI30.B.01750