

Diagonal cutter - MICROFOX-E ESD - 1212485

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




ESD electronic front cutter, without chamfer, with opening spring

Your advantages

- ✓ Ergonomically designed two-component handles for fatigue-proof and non-slip use
- ✓ Opening spring for uniform, smooth opening
- ✓ Made from special high-grade tool steel
- ✓ Mirror-polished and phosphate-treated metal surfaces for optimum rust protection and no glare when working
- ✓ Screwed precision-joint for permanent stability and optimum results
- ✓ The special conductive plastic handles ensure slow and safe removal of electrostatic energy according to standards and directives such as DIN EN 61340-5



Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 527170
GTIN	4046356527170
Weight per Piece (excluding packing)	78.800 g
Weight per piece (including packing)	84.300 g
Custom tariff number	82032000
Country of origin	Germany
Note	Made to Order (non-returnable)

Technical data

Dimensions

Length (b)	110 mm
------------	--------

General

Weight	75 g
--------	------

Diagonal cutter - MICROFOX-E ESD - 1212485

Technical data

Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

Classifications

eCl@ss

eCl@ss 4.0	21040300
eCl@ss 4.1	21040300
eCl@ss 5.0	21040300
eCl@ss 5.1	21040300
eCl@ss 6.0	21043700
eCl@ss 7.0	21043712
eCl@ss 8.0	21043712
eCl@ss 9.0	21043712

ETIM

ETIM 2.0	EC001186
ETIM 3.0	EC001186
ETIM 4.0	EC002222
ETIM 5.0	EC002222
ETIM 6.0	EC002222
ETIM 7.0	EC002222

UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	22101723

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

Diagonal cutter - MICROFOX-E ESD - 1212485

Approvals

EAC



RU x-
DE.xx08.B.02974