# **SIEMENS**

# Data sheet

# 6GK5108-2BD00-2AB2

SCALANCE XB108-2 unmanaged IE switch, 8x 10/100 Mbit/s Ports, 2x 100 Mbit/s multimode SC, for setting up small star and line topologies; LED diagnostics,IP20, redundant power supply, 24 V AC/DC Manual available as a download



Product type designation	SCALANCE XB108-2
Transfer rate	
Transfer rate	10 Mbit/s, 100 Mbit/s
Interfaces / for communication / Integrated	
Number of electrical connections	
<ul> <li>for network components or terminal equipment</li> </ul>	8; RJ45
Number of 100 Mbit/s SC ports	
• for multimode	2
Interfaces / other	
Number of electrical connections	
<ul><li>for power supply</li></ul>	1
<ul><li>for redundant voltage supply</li></ul>	1
Supply voltage, current consumption, power loss	
Type of voltage / of the supply voltage	AC/DC
Supply voltage	
• external	24 V
• external / minimum	19.2 V

• external / maximum	28.8 V
• at AC	24 V
Product component / fusing at power supply input	Yes
Fuse protection type / at input for supply voltage	0.6 A / 60 V
Consumed current / maximum	0.3 A
Power loss [W]	
• at DC / at 24 V	7.2 W

Ambient conditions	
Ambient temperature	
<ul><li>during operation</li></ul>	0 60 °C
during storage	-40 +80 °C
during transport	-40 +80 °C
Relative humidity	
<ul> <li>at 25 °C / without condensation / during operation / maximum</li> </ul>	95 %
Protection class IP	IP20

Design, dimensions and weights	
Design	compact
Width	80 mm
Height	117 mm
Depth	109 mm
Net weight	0.34 kg
Mounting type	
• 35 mm DIN rail mounting	Yes
• wall mounting	No
• S7-300 rail mounting	No
● S7-1500 rail mounting	No

Product functions / management, configuration, engineering		
Product function		
<ul> <li>multiport mirroring</li> </ul>	No	
• CoS	Yes	
PROFINET conformity class	Α	
Product function / switch-managed	No	

Product functions / redundancy	
Product function	
<ul> <li>Parallel Redundancy Protocol (PRP)/operation in the PRP-network</li> </ul>	Yes
<ul> <li>Parallel Redundancy Protocol (PRP)/Redundant Network Access (RNA)</li> </ul>	No

Standards, specifications, approvals	
Standard	

● for FM
 FM3611: Class 1, Divison 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4
 ● for hazardous zone
 EN 60079-0:2009, EN60079-15:2010, II 3 G Ex nA IIC T4 Gc, KEMA 07ATEX0145 X
 ● for safety / from CSA and UL
 ● for emitted interference
 ● for interference immunity
 MTBF
 FM3611: Class 1, Divison 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4
 EN 60079-0:2009, EN60079-15:2010, II 3 G Ex nA IIC T4 Gc, KEMA 07ATEX0145 X
 ● for safety / from CSA and UL
 EN 61000-6-4 (Class B)
 ● for interference immunity
 MTBF

# Standards, specifications, approvals / CE

Certificate of suitability / CE marking Yes

#### Standards, specifications, approvals / hazardous environments

Certificate of suitability

• IECEx Yes; IEC 60079-0, IEC 60079-15, IECEx DEK 14.0025X, Ex nA

IIC T4 Gc

## Standards, specifications, approvals / other

Certificate of suitability EN 61000-6-2, EN 61000-6-4

• Regulatory Compliance Mark (RCM) Yes

• KC approval Yes

## Further information / Internet-Links

Internet-Link

• to website: Selector SIMATIC NET <a href="http://www.siemens.com/snst">http://www.siemens.com/snst</a>

**SELECTION TOOL** 

• to website: Industrial communication <a href="http://www.siemens.com/simatic-net">http://www.siemens.com/simatic-net</a>

• to website: Industry Mall <a href="https://mall.industry.siemens.com">https://mall.industry.siemens.com</a>

• to website: Information and Download Center <a href="http://www.siemens.com/industry/infocenter">http://www.siemens.com/industry/infocenter</a>

• to website: Image database <a href="http://automation.siemens.com/bilddb">http://automation.siemens.com/bilddb</a>

• to website: CAx Download Manager <a href="http://www.siemens.com/cax">http://www.siemens.com/cax</a>

• to website: Industry Online Support

https://support.industry.siemens.com

# Security information

Security information

Siemens provides products and solutions with industrial security functions that support the secure operation of plants, solutions, machines, equipment and/or networks. They are important components in a holistic industrial security concept. With this in mind, Siemens' products and solutions undergo continuous development. Siemens recommends strongly that you regularly check for product updates. For the secure operation of Siemens products and solutions, it is necessary to take suitable preventive action(e.g. cell protection concept) and integrate each component into a holistic, state-of-the-art industrial security concept. Thirdparty products that may be in use should also be considered. For more information about industrial security, visit http://www.siemens.com/industrialsecurity. To stay informed about product updates as they occur, sign up for a product-specific newsletter. For more information, visit http://support.automation.siemens.com. (V3.4)

last modified:

05/13/2020